

GymBeam s.r.o.

Rastislavova 93
040 01 Košice - mestská časť Juh
Slovakia



Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

Certificate of analysis 24005556 - 011

Sample name : Magnézium citrát - GymBeam 250 g

Marking of sample : Batch-No.: 4923B5
EXP. date: 122025

Customer No. : none

Packaging : Commercial package

Sample amount : 1 x 250 g

Shipping of sample : Courier Service

Sample entry : 02.02.2024

Entrance temperature : Room temperature

Sample taken : by sender

Begin/end of analysis : 02.02.2024 / 12.02.2024

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 2

Certificate of analysis : 24005556 - 011

Sample name : Magnézium citrát - GymBeam 250 g

Test Results

<i>Chemical/Physical Test</i>	<i>Result</i>	<i>Unit</i>	<i>Declaration</i>
Magnesium	14	g/100 g	16,1

Assessment:

Results of minerals analyses meet the details of the nutrition labelling regarding the tests carried out (cf. Guidance document of the EU Commission with regard to the setting of tolerances for nutrient values declared on a label in food supplements from December 2012).

Hamburg, 12.02.2024



i. A. R. Rugo

(Certified Food Chemist / Customer Service)

Methods

<i>Parameter</i>	<i>Method</i>
Magnesium	§ 64 LFGB L 00.00-144, ICP-OES: 2019-07 ^a ₅

With ^a marked methods are accredited.

Testing laboratory: ₅GBA Pinneberg