GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

GymBeam s.r.o.

Rastislavova 93
040 01 Košice - mestská cast Juh
**Slovakia**

Contact person:
Rebecca Rugo
Phone +49 40 797172-435
r.rugo@gba-group.de

## Certificate of analysis 24009245 - 016

| | | |
|---|---|---|
| Sample name | : | Glowy Skin - BeastPink 90 caps |
| Marking of sample | : | Batch-No.: LC231889,<br>EXP. date: 092025 |
| Customer No. | : | none |
| Packaging | : | Commercial package |
| Sample amount | : | 4 x 62,46 g |
| Shipping of sample | : | Courier service |
| Sample entry | : | 23.02.2024 |
| Entrance temperature | : | Room temperature |
| Sample taken | : | by sender |
| Begin/end of analysis | : | 23.02.2024 / 01.03.2024 |

The results are only based on the items tested. GBA takes no responsibility for the validity of the sampling if the samples are neither taken by GBA nor on behalf of GBA. In such cases, the results refer to the sample as it is received. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.



GBA Gesellschaft für Bioanalytik mbH
Goldtschmidtstr. 5, 21073 Hamburg
Telefon +49 (0)40 797172-0
Fax +49 (0)40 797172-27
E-Mail service@gba-group.de
www.gba-group.com

HypoVereinsbank
IBAN DE45 2003 0000 0050 4043 92
SWIFT BIC HYVEDEMM300
Commerzbank Hamburg
IBAN DE67 2004 0000 0449 6444 00
SWIFT-BIC COBADEHHXXX

Sitz der Gesellschaft:
Hamburg
Handelsregister:
Hamburg HRB 42774
USt-Id.Nr. DE 118 554 138
St.-Nr. 47/723/00196

Geschäftsführer:
Ralf Murzen,
Ole Borchert,
Alexander Kleinke,
Dr. Dominik Obeloer

Certificate of analysis : 24009245 - 016
Sample name : Glowy Skin - BeastPink 90 caps

## Test Results

| *Microbiological Test* | *Result* | *Unit* |
|---|---|---|
| E. coli | <10 | cfu/ g |
| Salmonella | negative | / 25 g |

| *Chemical/Physical Test* | *Result* | *Unit* | *Max. level* |
|---|---|---|---|
| Lead | 0,031 | mg/kg | 3 |
| Mercury | <0,010 | mg/kg | 0,1 |
| Cadmium | <0,010 | mg/kg | 1 |

Maximum levels for food supplements according to VO (EU) 2023/915

Assessment:
Results of microbiological analysis are unobjectionable regarding the tests carried out.

The sample complies with the requirements of Regulation (EU) 2023/915 regarding the maximum levels for lead, cadmium and mercury in food supplements.

Hamburg, 01.03.2024

i. A. R. Rugo
(Certified Food Chemist / Customer Service)

## Methods

| *Parameter* | *Method* |
|---|---|
| E. coli | DIN ISO 16649-2, mod. REBECCA Agar: 2020-12[a]0 |
| Salmonella | § 64 LFGB L 00.00-20: 2021-07[a]0 |
| Lead | DIN EN 15763, ICP-MS: 2010-04[a]5 |
| Mercury | DIN EN 15763, ICP-MS: 2010-04[a]5 |
| Cadmium | DIN EN 15763, ICP-MS: 2010-04[a]5 |

With [a] marked methods are accredited.
Testing laboratory: 0GBA Hamburg 5GBA Pinneberg